

www.everising.com

EVERISING

Aluminium Sprue Cutting Band Saw →

- ▶ Full-Range Capacity.
- ▶ Easy Operation, Powerful Functions.
- ▶ Robust Cutting, High Accuracy
- ▶ Cost Saving

鋁合金澆冒口 專用帶鋸機

- ▶ 規格齊全，機種多
- ▶ 操作簡單，功能強
- ▶ 強力切削，精度高
- ▶ 降低生產成本

ISO9001 CE

EVERISING MACHINE CO.
合濟工業股份有限公司

ALUMINIUM SPRUE C



VH6580

雙工位澆冒口高速切割機
With Double Side
Feeding Device

1

V-700F

可任意角度高速切割鋁板/型材
Multiple Angle Cutting for Sheet/
Beam Material



化油器冒口鋸切
Sprue of carburetor
cutting



引擎缸體冒口鋸切
Sprue of engine cutting



轉向器零件冒口鋸切
Sprue of steering parts
cutting

機型 Model	單位 Unit
鋸切能力 Capacity	mm
鋸帶規格 Blade Size	mm
馬達總功率 Motor Power	Kw
鋸帶速度 Blade Speed	m/min
進給速度 Feeding Speed	mm/min
進給行程 Feeding Stroke	mm
外形尺寸 Machine Size	mm
設備重量 Machine Weight	Kg

CUTTING BAND SAW



VFS4550-10

可同時高速切割多個零件澆冒口
Multiple Sprues Cutting



VG250150

用於泡沫鋁高速切割
Foam Aluminium Cutting

2

VH5060(VH600)	VH6580	VFS4550-10	VG250150	V-700F
500Hx600W	650Hx800W	450Hx500W	250Hx1200W	700Hx700W
5550Lx34Wx1.1t	6660Lx34Wx1.1t	5260Lx34Wx1.1t	8210Lx27Wx0.9t	6190Lx41Wx1.3t
5.5	15	8.62	15	11
500~2000	500~2000	500~2000	500~2000	100~600(同步調速Synchronously speed adjusting)
400~1200 (床台進給Table feeding)	0~2000 (床台進給Table feeding)	0~2000 (鋸弓進給Saw frame feeding)	0~3000 (鋸弓進給Saw frame feeding)	-
500	1000	1000	1500	-
1610Lx1350Wx2500H	2900Lx2600Wx3100H	2500Lx1950Wx2600H	960Lx4700Wx3000H	1790Lx1520Wx2850H
2500	5000	4500	9000	2900

The logo for Everising, featuring the word "EVERISING" in a bold, italicized, sans-serif font. The letter "E" is stylized with three diagonal lines extending from its top-left corner.

EVERISING MACHINE CO.
合濟工業股份有限公司

No.1 Jingke 1st Road, Nantun
District, Taichung 408, Taiwan.
TEL: +886-4-2350-5300 / 2359-3178
FAX: +886-4-2350-5420
E-mail: evrs@everising.com.tw

台中市南屯區精科一路1號
內銷: +886-4-23593003
傳真: +886-4-23500085
E-mail: evrs@everising.com.tw

<http://www.everising.com>

ALUMINIUM SPRUE CUTTING
BRAND SAWING MACHINE